

product description

15",1600nits,PCT,Intel Core i5-4570TE,DDR3 SODIMM/4GB,SSD/64GB,RJ45*2,USB-3*2, USB-2*4,COM*2,DVI*1, VGA*1,Audio Jack*2,PS2*1,LS,AOT,WP,AC100~240V, Microsoft Win10 IoT Enterprise Value

Introduction

Features:

- 1600 nits Sunlight Readable LCD
- Long Life, Low Power Consumption LED Backlight
- Advanced Optical Bonding (AOT)
- 0°C~50°C Operating Temperature
- High Shock & Vibration Resistance
- PCT Multi-Touch Support
- IP65 Fascial Waterproof

Application:

- Marine
- Outdoor Display




Specifications

V1

| | |
|------------------------------|---|
| Model Number | SRMPC-15T |
| LCD Display | |
| Backlight | 15" LED Backlight |
| Active Display Area | 304.128x228.096 mm |
| Brightness | 1600 cd/m2 |
| Resolution | 1024x768 (XGA) |
| Contrast Ratio | 1,000:1 |
| Touch Screen | PCT Multi-Touch |
| Optical | AOT |
| System | |
| Processor | Intel Core i5 |
| Chip Set | Intel H81 Express Chipset |
| Memory | 4GB DDR III SODIMM |
| Ethernet | Realtek 8111F PCIe Gigabit LAN |
| Storage | 64GB SSD |
| I/O Port | RJ45*2,USB-3*2,USB-2*4,COM*2,DVI*1,VGA*1, Audio Jack*2(Mic-in,Line-out), PS2*1(KB&Mouse),Power AC-in x1 |
| BIOS | AMI |
| Wake on LAN | Yes |
| Watchdog Timer | 1~255 steps programmable |
| H/W Status Monitor | Support power supply voltages, fan speed and temperature monitoring |
| Expansion Interface | Mini PCIe (internal) |
| Power | |
| Voltage | AC Input: AC 100 ~ 240V ; DC Input (Optional) |
| Power consumption | 55W |
| Mechanical | |
| IP Rating | Fascial waterproof to IP65 standards when console mounted. |
| Construction | Aluminum Alloy Chassis |
| Mounting | Panel (Flush) Mount , VESA75/VESA100, Stand Mount |
| Dimension | 391.5mm (W) x 350.35mm(H) x 92.2mm(D) |
| Net Weight | 4.7kg |
| Environmental | |
| Operating Temperature | 0°C~50°C |
| Storage Temperature | -10°C ~ 60°C |
| Operating Humidity | 5~95% @ 40°C, non-condensing |
| Certification | Designed to meet CE/FCC |

Specifications are subject to change without notice.




All brands or product names are trademarks or registered trademarks of their respective companies.

Mechanical Drawing

Outline Dimensions

Unit : mm





Ordering Information

| Part Number | Description |
|------------------|--|
| SRMPC-15T | 15", 1600nits, PCT, Intel Core i5-4570TE, DDR3 SODIMM/4GB, SSD/64GB, RJ45*2, USB-3*2, USB-2*4, COM*2, DVI*1, VGA*1, Audio Jack*2, PS2*1, LS, AOT, WP, AC100~240V, Microsoft Win10 IoT Enterprise Value |

Optional Accessories

| Part Number | Description |
|----------------|--------------------|
| SRMPC15-SSD128 | 128 GB SSD Storage |
| SRMPC15-SSD256 | 256 GB SSD Storage |
| SRMPC15-SSD500 | 500 GB SSD Storage |
| SRMPC15-RAM08 | 8 GB RAM Upgrade |
| SRMPC15-RAM16 | 16 GB RAM Upgrade |